

16

15

14

13

12

11

10

9

D

C

B

A

D

C

B

A

LEGEND

- | | | | |
|--|--|--|--|
| | LINE THROWING APPLIANCE | | INTERNATIONAL SHORE CONNECTION |
| | RESCUE BOAT (SOLAS APPROV'D) | | SMOKE DETECTOR |
| | LIFE RAFT(S) | | HEAT DETECTOR |
| | IMMERSION SUIT | | FIRE STATION (NUMBER BELOW) |
| | EMERGENCY ESCAPE BREATHING APPARATUS (EEBA) | | FIRE ALARM BELL |
| | LIFE JACKET | | GENERAL ALARM BELL |
| | LIFE-RING | | DRY CHEMICAL PORTABLE |
| | LIFE-RING W/ FLOATABLE LINE | | B/C2 CARBON DIOXIDE PORTABLE |
| | LIFE-RING WITH LIGHT | | FOAM TANK PORTABLE |
| | LIFE-RING WITH SMOKE | | FIRE AXE |
| | LIFE-RING WITH LIGHT & SMOKE | | HALON HORN |
| | LIFE-RING WITH LIGHT & SMOKE | | SPACE PROTECTED BY HALON |
| | DEMARCATION LADDER | | SPACE PROTECTED BY CO2 |
| | SEARCH AND RESCUE RADAR TRANSPONDER | | SPACE PROTECTED BY POWDER |
| | EMERGENCY POSITION INDICATING RADIO BEACON (EPIRB) | | SPARE BOTTLE O2 |
| | SOLAS APPROV'D DISTRESS SIGNALS | | SPARE EXTINGUISHING BOTTLE CO2 |
| | LOCKER WITH ADDITIONAL BREATHING APPARATUS (SCBA) | | SPARE EXTINGUISHING BOTTLE H |
| | LOCKER WITH FIREMAN'S OUTFIT | | REMOTE RELEASE STATION CO2 |
| | CLOSING DEVICE FOR VENT. INLET OR OUTLET | | REMOTE RELEASE STATION HALON |
| | REMOTE VENTILATION SHUTOFF | | REMOTE RELEASE STATION POWDER |
| | 7A CLASS HINGED FIRE DOOR | | EMERGENCY SWITCHBOARD |
| | 7A CLASS HINGED SELF-CLOSING FIRE SCREEN DOOR | | FOAM HOSE REEL |
| | 7A CLASS SELF-CLOSING SLIDING FIRE DOOR | | PANEL (TYPE DESIGNATED BELOW) |
| | REMOTE CONTROL FOR WATERTIGHT DOORS OR FIRE DOORS | | EX-ENGINE ALARM |
| | REMOTE RELEASE FOR FIRE SCREEN DOOR | | 75-HR & SMOKE ALARM TEST |
| | REMOTE VENTILATION (FAN) SHUT-OFF, ACCOMMODATION | | GA-GENERAL ALARM |
| | REMOTE VENTILATION (FAN) SHUT-OFF, MACHINERY | | EMERGENCY GENERATOR |
| | REMOTE CONTROL FOR WATERTIGHT DOORS OR FIRE DOORS | | REMOTE CONTROL FOR EMERGENCY FIRE PUMP |
| | REMOTE CONTROL FOR FUEL OIL VALVES | | REMOTE CONTROL FOR FIRE PUMP |
| | DAMAGE CONTROL SHORING EQUIPMENT | | 440 V ELECTRIC SHOCKABLE RECEPTACLE |
| | | | REMOTE CONTROLLED EMERGENCY SWITCH |
| | | | EDG-EMERGENCY DIESEL GEN. ENG-ENGINE |

PLAN VIEW



FORECASTLE DECK AND AFT WORKING DECK

SCALE: 1/8" IN = 1 FT

PLAN VIEW

MAIN DECK

SCALE: 1/8" IN = 1 FT



PREPARED BY:
Seaworthy Systems, Inc.
ESSEX, CT 06426
TEL: (860) 767-9061

SIZE	CAGE CODE	NOAA DRAWING NUMBER	REV
D	OYLJ5	GU-555-05	-
SCALE:	AS SHOWN	CAD FILENAME	GU-555-05.dwg
		SHT	2 OF 3

16

15

14


13

12

11


10

9

**PLAN VIEW**

BRIDGE DECK

SCALE: 1/8 IN = 1 FT


**PLAN VIEW**

UPPER DECK

SCALE: 1/8 IN = 1 FT

LEGEND

	LINE THROWING APPLIANCE		INTERNATIONAL SHORE CONNECTION
	RESCUE BOAT (SOLAS APPV10)		SMOKE DETECTOR
	LIFE RAFT(S)		HEAT DETECTOR
	IMMERSION SUIT		FIRE STATION (NUMBER BELOW)
	EMERGENCY ESCAPE BREATHING APPARATUS (EEBA)		FIRE ALARM BELL
	LIFE JACKET		GENERAL ALARM BELL
	LIFE RING		DRY CHEMICAL PORTABLE
	LIFE RING W/ FLOATABLE LINE		B/C2 CARBON DIOXIDE PORTABLE
	LIFE RING WITH LIGHT		FOAM TANK PORTABLE
	LIFE RING WITH SMOKE		FIRE AXE
	LIFE RING WITH LIGHT & FLOATABLE LINE		HALON HORN
	LIFE RING WITH LIGHT & SMOKE		SPACE PROTECTED BY HALON
	DE-EMBARKATION LADDER		SPACE PROTECTED BY CO ₂
	SEARCH AND RESCUE RADAR TRANSPONDER		SPACE PROTECTED BY POWDER
	EMERGENCY POSITION INDICATING RADIO BEACON (EPIRB)		SPARE BOTTLE O ₂
	SOLAS APPV10 DISTRESS SIGNALS		SPARE EXTINGUISHING BOTTLE CO ₂
	LOCKER WITH ADDITIONAL BREATHING APPARATUS (SCBA)		SPARE EXTINGUISHING BOTTLE H
	LOCKER WITH FIREARMS OUTFIT		REMOTE RELEASE STATION CO ₂
	CLOSING DEVICE FOR VENT. INLET OR OUTLET		REMOTE RELEASE STATION HALON
	REMOTE VENTILATION SHUTOFF		REMOTE RELEASE STATION POWDER
	1/2\"/>		EMERGENCY SWITCHBOARD
	1/2\"/>		FOAM HOSE REEL
	REMOTE CONTROL FOR WATERTIGHT DOORS OR FIRE DOORS		PANEL (TYPE DESIGNATED BELOW)
	REMOTE RELEASE FOR FIRE SCREEN DOOR		ALARM TEST
	REMOTE VENTILATION (FAN) SHUT-OFF, ACCOMMODATION		EMERGENCY GENERATOR
	REMOTE VENTILATION (FAN) SHUT-OFF, MACHINERY		REMOTE CONTROL FOR EMERGENCY FIRE PUMP
	REMOTE CONTROL FOR WATERTIGHT DOORS OR FIRE DOORS		REMOTE CONTROL FOR FIRE PUMP
	REMOTE CONTROL FUEL OIL VALVES		440 V ELECTRIC SUBMERSIBLE RECEPTACLE
	DAMAGE CONTROL SHORING EQUIPMENT		REMOTE CONTROLLED EMERGENCY SWITCH



	PREPARED BY:	SIZE:	CAGE CODE:	NOAA DRAWING NUMBER:	REV:
	ESSEX, CT 06426 TEL: (860) 767-9061	D	OYLUJ5	GU-555-05	-
SCALE: AS SHOWN		CAD FILENAME: GU-555-05.dwg		SHT 3 OF 3	